




CLASSIC 310

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice. Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.




MODEL	ISO 6185 PART	ISO 6185	Crew		#	Weight		Shaft	Outboard Engine		Molded seat		Oars		Fuel tank Capacity		Wet Weight (Approximate) 20HP (14.92KW)		AIR CHAMBERS	Pressure							
			KG	LB		KG	LB		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR						
CL310	2	C	550	1213	5	375	827	S	14.92	20	104.5	230	62	137	3	6.6	1.5	3.3	/	/	/	/	171	377	3	3.63	0.25

Weight: boat only.

CLASSIC 310

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice. Tolerances: dimensions ±2.5%, weights ±5%) Note: red means lifting eyes.





MODEL	ISO 6185 PART	ISO 6185	Crew		#	Weight		Shaft	Outboard Engine		FCT		Molded seat		Oars		Fuel tank Capacity		Wet Weight (Approximate) 20HP (14.92KW)		AIR CHAMBERS	Pressure					
			KG	LB		KG	LB		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB	PSI	BAR							
CL310	2	C	550	1213	5	375	827	S	14.92	20	104.5	230	62	137	36	79	3	6.6	1.5	3.3	/	/	207	456	3	3.63	0.25

Weight: boat only.

CLASSIC 310 FT

(Folding Transom)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice. Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.





MODEL	ISO 6185 PART	ISO 6185			#			Shaft	 Outboard Engine		 Molded seat		Oars		/		Fuel tank Capacity		 Wet Weight (Approximate) 20HP (14.92KW)		AIR CHAMBERS						
			KG	LB		KG	LB		Max power	Max weight	KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR				
									KW	HP	KG	LB	KG	LB	KG	LB	/	/	L	GAL	KG	LB					
CL310FT	2	C	550	1213	5	375	827	S	14.92	20	104.5	230	62	137	3	6.6	1.5	3.3	/	/	/	/	171	377	3	3.63	0.25

Weight: boat only.

CLASSIC 310 FT

(Folding Transom)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice. Tolerances: dimensions ±2.5%, weights ±5%) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185	Crew		#	Weight		Shaft	Outboard Engine		Molded seat		Oars		Fuel tank Capacity		Wet Weight (Approximate) 20HP (14.92KW)		AIR CHAMBERS	Pressure							
			KG	LB		KG	LB		KG	LB	KG	LB	KG	LB	KG	LB	KG	LB		KG	LB	PSI	BAR				
			Max power KW	Max power HP		Max weight KG	Max weight LB		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR						
CL310FT	2	C	550	1213	5	375	827	S	14.92	20	104.5	230	62	137	3	6.6	1.5	3.3	/	/	/	/	171	377	3	3.63	0.25

Weight: boat only.